

TRU-TEST™

**Weighing and
Electronic
Identification
Solutions
for Livestock
Management**

**How are you tracking?
Let's talk.
1800 641 324**

Contents

Introduction	3
What is EID?	4
Why Weigh?	4
How does EID work with your weigh system?	5
Weigh Scale Indicators	6
Selection Guide	10
Load Bars & Load Cells	11
Selection Guide	13
Animal Platforms	14
Selection Guide	15
Drafting Sheep Crates	17
Draft Crate Selection Guide	19
Portable Sheep Yards	21
EID Readers	23
Accessories	26
Services & Support	28
Decision Support Tools	28
NLIS Service	28
Training Services	28
Technical Support	28
Data Transfer	29
Data Link App for iPhone* and Android* smartphone	29
Data Link App for Windows* PC	29
Contact Details	31





In it together..

The way we see it, nobody is more dedicated to their work than farmers. It's a game of limiting factors and it's hard working out what these are and well, limiting them. Solving problems is our forte and we aim to help you solve yours so you can worry less and enjoy life more.

That's why we're determined to match your dedication and deliver the world's best livestock management products. Products as rugged as you, that give fast, accurate information to help base your decisions on. With over thirty years experience we're getting pretty good at it. We also believe we can always do better.

It starts in our laboratories AKA paddocks, sheds and stockyards. It's the only place equipment can be developed that truly helps you track progress for better decision making. By listening and observing we figure out what will really make a difference. It's also here we test each product's worthiness to make sure it delivers. Every inch is tested, in the harshest conditions and by the people who use the gear.

Our most inspiring meetings take place on our customers' land. It's on a fencepost, with a cup of tea in hand, that world beating ideas are formulated and sketched. And by the time we reach the bottom of the cup, the same truth is always revealed - rugged, reliable and practical products that help track progress, making life easier and more profitable.

For us it's a partnership, and these partnerships are at the heart of our business - from design through to working out which product is best for your needs, and then making sure it works how you need it to.

**Results matter.
How are you tracking?**

What is EID?

Electronic Identification (EID) means individual animals can be tracked through their entire life cycle via an electronic ear tag.

Whilst the government introduced NLIS scheme has made EID mandatory for cattle, there are greater benefits to be had from employing EID in your farming operation. Tagging animals with an electronic (EID) tag provides an opportunity to better manage the individual performance of those animals.

Over time, an animal's weight history can be tracked, good and bad performers can be identified and the input of resources managed to ensure profits are maximised.

Why weigh?

Weighing replaces guess-work with facts, making it a powerful performance measurement tool for farmers. The information provided by Tru-Test weigh scale indicators assists critical decision making about feed, health treatments and herd size management.

On its own, weighing is a valuable addition to your operation. However, with the emergence of EID, an opportunity exists to maximise the potential of collected weigh data.

BENEFITS OF WEIGHING FOR YOUR FARMING OPERATION

- ✓ **Ensure livestock are sold at the optimum weight grade** - closely manage the weight gains of individual animals or mobs and tailor your feed and treatment inputs as required.
- ✓ **Minimise treatment waste** - more accurately calculate drench/pour-on dosage based on the requirements of the individual animal to minimise treatment waste while also maximising the health of your livestock.
- ✓ **Monitor reproductive performance** - closely monitoring the weight gain of offspring can help make breeding decisions to maximise reproductive performance.
- ✓ **Identify sick or lame animals early** - regular weighing of individual animals means weight loss and other issues that manifest over time are identified quickly.



How does EID work with your weigh system?

See how it works


With a Tru-Test EID compatible weigh scale indicator and an EID panel or stick reader, animals can be scanned at the time of weighing.

Individual animal weights and other traits can be recorded against each animal's unique ID number. Information is stored within the indicator ready for you to view in the yard or back at the office.

To find out more and see our weighing and EID products in action, scan the QR code below or visit our YouTube Channel - www.youtube.com/TruTestLivestock



EXAMPLE OF A CATTLE EID WEIGH SYSTEM





Weigh Scale Indicators

Looking for an indicator you can rely on that gives you only the information you want? Look no further.

Tru-Test's range of durable indicators has earned a global reputation for the fastest and most accurate weight capture technology.

All Tru-Test indicators feature Superdamp™ technology, unique to Tru-Test, to record accurate weights quickly, even with the liveliest animals. Within seconds our indicators lock on a weight, and a bright stable light lets you know it's ready to

be recorded. An auto zero function also ensures any accumulation of animal dirt or manure is zeroed after the animal leaves the scale.

The range is designed to suit a variety of situations so you only get the technology you need. Suitable for cattle, sheep, pigs, deer, horses and goats and compatible with all Tru-Test load bars.

5000 Series

**NEW
SUPERDAMP 4
WEIGH FASTER
THAN EVER
BEFORE**



XR5000



Management decisions made easy.

Capture the wide range of animal information you need to help you make the right decisions. Use it to quickly identify poor-performing animals, optimise your breeding programme and catch animal health issues early.

- Store up to 1 million records in 1,000 weighing sessions and record up to 100 pieces of information for each animal
- Range of features to calculate and visualise performance of individual animals or groups
- Up to 10-way drafting by any criteria
- Pre-loaded common setups or save own favourite setups to easily switch between jobs
- Calculate target weights
- Track, apply and manage treatments e.g. type, dosage, withholding periods, set alarms
- 7" display with unique transfective screen technology gives screen clarity in even the brightest sunlight
- Superdamp 4 accurately locks onto animal live weights faster than ever before.
- Quick access keys and keypad avoids dirty fingers on screen
- Built-in step-by-step instructions and pop-up help
- Quickly transfer information through your mobile device (Android* or Apple*), USB memory stick or computer (Microsoft Windows*)
- Link wirelessly or by cables to other devices e.g. Electronic ID readers, auto drafters, barcode scanners and more
- Water, dust and shock proof IP67 case
- Long life battery: 10 hours with backlight on and 13 hours with backlight off (in daylight)
- Product code: 823436.

ID5000



Weighing decisions made easy.

Quickly capture accurate animal weights to provide performance information you can act on to maximise profitability. Use it to identify poor performers, catch health issues early or easily split your animals into different management groups.

- Store up to 250,000 records in 250 weighing sessions and record up to three IDs and three pieces of information (breed, sex or other trait for each animal) for each animal
- Track performance through calculating and visualising an animal's weight gain
- Up to 5-way drafting by weight, weight gain and single criteria
- Pre-loaded common setups or save own favourite setups to easily switch between jobs
- 7" display with unique transfective screen technology gives screen clarity in even the brightest sunlight
- Superdamp 4 accurately locks onto animal live weights faster than ever before.
- Quick access keys and keypad avoids dirty fingers on screen
- Built-in step-by-step instructions and pop-up help
- Quickly transfer information through mobile devices (Android* or Apple*), USB flash drive or computer (Microsoft Windows*)
- Link wirelessly or by cables to other devices e.g. Electronic ID readers, auto drafters, barcode scanners and more
- Water, dust and shock proof IP67 case
- Long life battery: 10 hours with backlight on and 13 hours with backlight off (in daylight)
- Product code: 823435.

EziWeighi™ Series



EziWeigh7i



Entry level EID compatible weigh scale with Bluetooth® technology.

Efficiently record and track individual weight gain to help you manage your operation with greater certainty and profitability.

- Wireless communication with EID readers up to 100 m away, or connect via cable
- Quickly transfer information through mobile devices (Android* or Apple IOS*) or computer (Microsoft Windows*)
- Stores up to 100 weighing sessions and 20,000 records
- Records weights against EID and VID tags
- Speeds up drafting by weight, displaying up to 3 directions
- Calculates and displays an animal's daily weight gain since the previous session
- Record notes for each individual animal
- Summary statistics from the current and previous weigh sessions can be recalled in the yard
- Long life battery, up to 15 hours of run time, charge time 3 hours, auto power down to save battery life
- Large highly visible 35 mm backlit display
- Power up zero, auto zero and fine mode
- Auto incrementing and auto prefixing for fast entry of VID
- Bright red stable light
- Superdamp™ III technology
- Product code: 828991.



EziWeigh5i

Quickly and easily collect the weights of your animals without recording.

Rugged design with large, high contrast displays for visibility in all conditions.

- Simple to use
- Large highly visible 35 mm backlit display
- Auto Zero option to ensure any accumulation of animal dirt on the platform or crate is zeroed out
- High contrast display is clearly visible in daylight and features an LED backlight for visibility in failing light or in dark sheds
- Capture accurate live weights quickly with Superdamp™ III technology
- Battery life: 20 hrs (run time), charge time 3 hours
- Product code: 829003.

Walk Over Weighing - WOW™

The Tru-Test Walk Over Weighing system is designed to build trend views of animal weights over time through regular weighing.

WOW2™ indicator is designed to be integrated with third party software programmes capable of interpreting and analysing data.



WOW2™

Monitor weight trends with hands free Walk Over Weighing. Developed for the harsh dairy environment and applications where cattle are regularly weighed.

The Tru-Test Walk Over Weighing indicator is designed to be integrated with third party software programmes capable of interpreting and analysing data.

- Weight accuracy $\pm 3.0\%$
- 90% of animal weights captured per session
- EID compatible
- Stores up to 100 weighing sessions and 30,000 animal records
- Auto zero functionality
- Water, dust and shock proof IP67 case
- Integrate with third party software by either streaming data or recording information on the device to download later
- Compatible with Tru-Test Data Link for PC, Android* and Apple* Smartphone
- If not connected to mains power, battery will run for up to 15 hours
- Capture accurate live weights quickly with Superdamp™ III technology
- Product code: 828996.

Selection Guide

QUESTION	XR5000	ID5000	EZIWEIGH7i	EZIWEIGH5i
How many records can I store	1 million	250,000	20,000	
How many weighing sessions can I keep	1,000	250	100	
How many pieces of information can I keep on each animal	100 (Customisable)	3 (Fixed)	1	
How many tag identifications can I assign to an animal (Visual or Electronic ID)	4	3	2	
Can I easily setup my weigh scale by preloading favourite setups	✓	✓		
Can the weigh scale control an auto drafter	✓	✓		
Can I draft by weight gain or single criteria	✓	✓	Weight	
How many ways can I draft	10	5	3	
Can I capture weight gain	✓	✓	✓	
Can I view statistics on screen in the yards	✓	✓	✓	
Can I view animal history on screen in the yards	✓	✓		
Can I view the screen in direct sunlight	✓	✓	✓	✓
Can I use the weigh scale in the rain	✓	✓	✓	✓
Can I easily transfer my information to NLIS (via Smartphone or PC software)	✓	✓	✓	
Can I use my Apple* smartphone to transfer data from my weigh scale	✓	✓	✓	
Can I use my Android* smartphone to transfer data from my weigh scale	✓	✓	✓	
Can I use a USB flash drive to get information off the weigh scale	✓	✓		
Can I easily get information from the weigh scale to my PC	✓	✓	✓	
Can I use <i>Bluetooth</i> ® to connect to other devices	✓	✓	✓	
Does the weigh scale come with supporting software	✓	✓	✓	
Can I customise the information I record	✓			
Can I draft by multiple criteria	✓			
Can I set target weights and monitor animal performance	✓			
Can I calculate carcass weight	✓			
Can I apply animal health treatments against animals	✓			



Load Bars & Load Cells

Need a load bar that can truly handle the conditions and remain accurate?

Check out ours.

Made of aircraft grade aluminium for ultimate resistance to corrosion, Tru-Test load bars are regarded as the most reliable, rugged and long-lasting available.

Heavy duty TPR/CV cables also minimize the likelihood of cable damage. Our Multi-Purpose and Heavy Duty load bars can be relied upon to be accurate to within +/- 1%.

Tru-Test load cells are completely enclosed to protect against dirt, moisture and rodents.

Tru-Test load bars and load cells are compatible with any Tru-Test indicator.

Multi-Purpose (MP) Load Bars

- For all animal types
- Versatile. Can be used with a temporary or permanent installation
- Corrosion resistant zinc plated, gold passivated housing
- Compatible with any Tru-Test indicator
- Rugged and durable
- Reinforced cables to prevent damage
- Rubber feet provide extra grip and shock protection
- Fully water resistant



MP1010

Multi-purpose 1,010 mm load bars.

- 3,000 kg capacity
- For a variety of applications including under crush, crates, pallets and platforms
- Product code: 805124.

MP800

Multi-purpose 800 mm load bars.

- 3,000 kg capacity
- For a variety of applications including under platforms, sheep crates and wool presses
- Product code: 805123.



MP600

Multi-purpose 600 mm load bars.

- 2,000 kg capacity
- For a variety of applications including under platforms, sheep crates and wool presses
- Product code: 805122.

Heavy Duty (HD) Load Bars



HD1010

Heavy duty 1,010 mm load bars.

- 3,000 kg capacity
- Ideal for cattle
- Designed for heavy duty permanent installations where extra capacity and durability is required
- Compatible with any Tru-Test indicator
- Product code: 805126.

Load Cells



XHD2

Extra heavy duty.

- 4,500 kg capacity
- For permanent installation in a high traffic crush or crate situation
- Compatible with any Tru-Test indicator
- Corrosion resistant plated and sealed load cell
- Product code: 826906 (4 x load cells with brackets and junction box), 826907 (4 x load cells and junction box).

Selection Guide

QUESTIONS	FEATURE	MP1010	MP800	MP600	HD1010	XHD2
I want to weigh cattle in a race under a platform	600 mm wide, 2,000 kg capacity			✓		
I want to weigh cattle in a crush or drafter	Heavy duty system				✓	✓
I want to weigh sheep in a drafter	600 mm wide, 2,000 kg capacity			✓		
I want to weigh horses in an equine weigh system	800 mm wide, 3,000 kg capacity		✓			
I want to weigh pallets and platforms	1,010 mm wide, 3,000 kg capacity	✓				



Animal Platforms

**Want a rugged animal platform you can move
to where your animals are?**

Have a look at these.

Tru-Test animal platforms are extremely corrosion resistant for long life in even the harshest of environments.

Lightweight, they have been designed to be portable and easily moved between different paddocks or weigh sites.

Platforms

Tru-Test calf and cattle platforms are constructed with durability, animal safety and easy transport in mind. The Tru-Test WOW™ platform also offers extra length for improved accuracy in dairy installations.

Our lightweight aluminium platforms use weld free stainless steel bolted joints to eliminate cracking. Each also comes with a unique non slip surface and all fit most current race designs.



Aluminium 2.2 m Platform

- Portable design using lightweight aluminium
- Unique non slip surface
- Weld free stainless steel bolted joints eliminate cracking
- 2,200 mm (L) x 610 mm (W)
- Weight: 28.7 kg
- Product code: WPA10000.

Split Aluminium Cattle Platform

- Lightweight, strong aluminium
- Consists of two halves to allow for ease of transport and mobility
- Securely interlock together to make solid platform
- For use inside a crush or race
- 2,100 mm (L) x 650 mm (W)
- Weight: 30.7 kg
- Product code: 824549.

Aluminium 2.5 m WOW™ Platform

- Extra length for improved accuracy in Walk Over Weighing installations
- Unique non slip surface
- Weld free stainless steel bolted joints eliminate cracking
- Overall width: 720 mm
- Walking surface width: 500 mm
- Weight: 85 kg
- Product code: 827357

Platform Selection Guide

QUESTIONS	FEATURE	Aluminium 2.2 m Platform	Split Aluminium Cattle Platform	Aluminium 2.5 m WOW Platform	Steel Cattle Platform	Split Cattle Platform
I want a lightweight platform to weigh cattle in a new or existing race	2.2 m or 2.5 m platform	✓		✓		
I want a lightweight portable platform to weigh cattle in a new or existing race	2.1 m split platform		✓			
I want to weigh large stock in a crush or weigh moving dairy cows without stopping them	Extra long 2.5 m platform			✓		
I want a portable platform that can be easily transported	Split platform		✓			✓



Steel Cattle Platform

- Wide grill to eliminate dirt build-up
- Centre rib for increased strength
- Heavy-duty channel
- Plates or channels accommodate 600 mm load bars. Optional sides available
- 2,100 mm (L) x 650 mm (W)
- Weight: 57 kg
- Product code: 824547.



Split Cattle Platform


- Wide grill to eliminate dirt build-up
- Strong interlocking design separates for easy transportation
- Centre rib for increased strength. Optional sides available
- 2,100 mm x 650 mm
- Weight: 65 kg
- Product code: 824548.



Horse Platform

Durable, safe, rubber lined platform designed for equine weighing.

- Suitable for use with Tru-Test MP800 load bars and EziWeigh5i or 7i weigh scale indicator to form a Tru-Test Equine Weighing System
- Corrosion resistant plated steel high strength platform
- Green fibre bond rubber matting for quiet weighing
- Non slip soft and safe surface
- 2,480 mm (L) x 935 mm (W)
- Weight: 90 kg (with mat)
- Product code: 824550.



Pallet Platform

Suitable for weighing standard sized pallets.

- Frame manufactured from strong RHS with reinforced ribs for added strength
- Check-plate floor
- Pre-drilled to suit Tru-Test MP600 or HD1010 load bars
- 1,245 mm (L) x 1,025 mm (W)
- Weight: 49 kg
- Product code: TP018.



Drafting Sheep Crates

On the lookout for a drafting sheep crate that is easy to set up and can ideally be operated by one user?

Consider these options.

Tru-Test has partnered with Prattley to supply their user friendly, high quality range of Drafting Sheep Crates.

Designed to allow sheep to flow, these drafting sheep crates are easily set up, moved and

operated by one user. All Prattley drafting sheep crates are fully compatible with the Tru-Test 5000 series of indicators.



Auto Draft Sheep Crates

Prattley Industries Ltd. is a world leader in lightweight automated animal management systems using cutting edge technology. The alloy used in production is high tensile, ensuring the equipment is strong yet flexible. The systems can be easily set up and operated by one user.

All Prattley Auto Draft Sheep Crates are designed to allow sheep to flow. They're also user friendly, weigh approximately 700 sheep per hour, are EID compatible and have a quiet pneumatic operation. As a bonus they enable conventional drafting with a remote.



Prattley 5-Way Auto Drafter - Swing Gate

- 5-way swing drafting model
- Optional mobility kit available
- Ambidextrous design offering left and right hand entry options
- Recommended minimum air compressor size is 2 hp with a 20 L tank
- Product code: 823062.



Prattley 3-Way Auto Drafter - Swing Gate

- 3-way swing drafting model
- Optional mobility kit available
- Ambidextrous design offering left and right hand entry options
- Recommended minimum air compressor size is 2 hp with a 20 L tank
- Product code: 823061.



Right hand model pictured

Prattley 3-Way Auto Drafter - Sliding Gate

- 3-way sliding drafting model designed for yards that can't accommodate swing gate drafting
- Left and right hand entry options
- Alloy isolation frame optional
- Recommended minimum air compressor size is 2 hp with a 20 L tank
- Product code: 805661 (left hand)
- Product code: 805045 (right hand).



Prattley 2-Way Electric Drafter

The newly designed Prattley 2-Way Drafter is operated by electric motors powered by a 12 volt battery, and will operate on a fully charged battery for a full day. The unique design also eliminates having to have left and right handed crates.

The rear gates have vertical rollers which allow the gates to roll around the sheep as they close or allow the following sheep to pull back without getting caught.

DRAFTING OPTIONS

Full Auto Drafting Mode

- Indicator is programmed for 2-way drafting.
- Sheep enter weigh crate, back gates automatically shut upon weight on drafting platform, indicator will select which gate to open once sheep has exited crate.
- Back gate opens automatically again for next sheep. While in this mode you can override drafter with remote.
- Product code: 820275.

Auto Drafting By Remote

- Indicator is programmed for 2-way drafting.
- Open back gate with remote, shut back gate with remote once sheep has entered crate, indicator will select which gate to open once sheep has exited crate, use remote to open back gate again. While in this mode you can override drafter with remote.

Draft Crate Selection Guide

QUESTIONS	FEATURE	3-Way Manual Drafter	5-Way Auto Drafter - Swing Gate	3-Way Auto Drafter - Swing Gate	3-Way Auto Drafter - Sliding Gate	2-Way Auto Drafter - Electric Gate
I want to weigh and draft manually up to 3 ways	3-way manual draft	✓				
I want to weigh and draft automatically 3 ways	3-way swing/sliding gate			✓	✓	
I want to weigh and automatically draft, but don't have room for a swing gate	3-way sliding gate				✓	
I want to weigh and draft up to 5 ways	5-way swing gate		✓			
I want to weigh and draft fully automatically	2-way electric gate		✓	✓		✓

Manual Draft Sheep Crates



Right hand operation pictured - with isolation frame, loadbars & indicator (sold separately)



Prattley 3-Way Manual Crate (L/H Or R/H)

- Manufactured with lightweight aluminium for optimum strength
- One person can easily set up or shift (approx 34 kg weight, crate only)
- Enables up to 3-way drafting
- Practical design keeps operator out of sheep's vision
- One hand left free to control or monitor sheep
- Sliding gates move easily and quietly
- Sliding gates separate stock efficiently
- Simple no-tools adjustment from biggest ram to smallest lamb
- Product code: PRA03121 (left hand)
- Product code: PRA03005 (right hand).

FastWeigh Sheep Crate

Lightweight, versatile, fully integrated sheep weighing system with built-in load cell.

- Open ended crate with no gates for fast flow of sheep or lambs
- Easy to transport using almost any vehicle
- Includes a built-in Tru-Test weighing sensor
- Fits most current race designs
- Product code: WPA50006.



Economy 2-Way Manual Sheep Drafter


- Single entry, 2-way exit
- Simple operation
- Suited to Tru-Test MP600 load bars
- Product code: 824552.

Economy Sheep Crate

Permanent crate for small operations wanting to weigh sheep without the need for auto drafting.

- Single entry, single exit
- Self closing back gate
- Single hand operation
- Suited to Tru-Test MP600 load bars
- Product code: 824551.

Portable Sheep Yards



Need a portable sheep yard that is easily transported, assembled and operated by one person?

Hitch up one of these.

Tru-Test has partnered with Prattley's to bring you their range of mobile sheep yards. Offering maximum versatility, these yards can be taken anywhere on farm for on-the-spot drenching, crutching, mouthing, tagging, docking, fly strike and any general animal treatment.

Utilising the direction of sunlight and wind, a portable yard enables natural stock flow through the yard. Benefits of this include faster animal flow, time and travel savings, reduced fuel and labour costs, lower risk of infection from dusty tracks, less stress on the animal etc, helping maximise farm management.



10' Standard Yard

Includes:

- Mobile unit with drop-in gate, drafting gate, winch, drawbar, gate support arms, straps, wheels and toolbox
- 7' x 36" alloy gate x 15
- 3' x 36" alloy gate x 2
- L post x 3
- Yard holding capacity approximately 250 ewes with existing fence

Options:

- 8" or 13" wheels
- 0.9 m or 1.0 m high gates available
- Single lane, three-section handling race
- Product code: 824895.



10' Super Yard

Includes:

- Mobile unit with drop-in gate, drafting gate, winch, drawbar, gate support arms, straps, wheels and toolbox
- 5' x 36" alloy gate x 40
- Diamond gate x 1
- L post x 6
- Yard holding capacity approximately 500 ewes with existing fence
- With standard 13" wheels, the 10' Super Yard has excellent towing ability

Options:

- 0.9 m or 1.0 m high gates available
- Single lane, three-section handling race
- Product code: 824894.



14' Standard Yard

Includes:

- Mobile unit with drop-in gate, drafting gate, winch, drawbar, gate support arms, straps, wheels and toolbox
- Double lane, three section handling race
- 7' x 36" alloy gate x 52
- Diamond gate x 1
- L post x 10
- Yard holding capacity approximately 1500 ewes with existing fence
- Suitable for large contractors and stations
- With standard 13" wheels, the 14' Standard Yard has excellent towing ability

Options:

- 0.9 m or 1.0 m high gates available
- Product code: 824896.



Sheep Handler

Alloy lightweight and long lasting. Height is adjustable to suit your best working position.

Features:

- Fully adjustable to suit any size ewe, lamb or ram
- Sheep lie without struggling in a safe, secure position
- Adjustable work height = no bending for the operator
- Lightweight, easy to shift
- Full access around rear of animal and feet for inspection
- Ideal to use in conjunction with Prattlely yards or handling race
- Product code: 824844 (manual).



EID Readers

**Wanting an EID reader capable of keeping up with even the fastest animals?
We have the solution for you.**

Tru-Test EID readers deliver information about your livestock rapidly, by reading electronic ear tags on animals that are on a weigh platform or running through a race.

The fastest hand held readers in the world, Tru-Test EID stick readers also offer the longest battery life. Lightweight and portable these hand

held EID readers are also ergonomically designed to be comfortable to use all day. Nothing should slow you down.

All Tru-Test EID readers are rugged, reliable and 100% water and dust proof. Suitable for cattle, sheep, goat and deer applications.

EID Stick Readers



XRS



Every time, without fail, in all conditions.

This fully portable EID tag reader is suitable for cattle, sheep and deer applications. With comfortable handling with long hours of use, its superior battery power will ensure it keeps going as long as you need it to.

- Reads all HDX and FDX-B ear tags
- NLIS tag compatible
- 20,000 scanned tag memory
- 30,000 EID/Visual ID pairs
- Vibrating handle to alert on tag read
- Loud beeper and 2 super bright LEDs for alerts
- Option to ignore duplicate ID's
- Daylight viewable display with EID and visual number displayed
- *Bluetooth*[®] technology for wireless operation while still connected to an indicator
- Easily download recorded information with your PC or Android* smartphone
- Rugged water and dust proof IP67 enclosure
- Customisable alerts for pre-chosen animals, e.g. Withheld (load up to 10,000 alerts on to the XRS - 254 unique messages)
- Enter customised data like drench or condition scores against individual animals (from a pre-set list of up to 10)
- Battery life: 19 hours (push to read), 9.5 hours (continuous read), 3 hr recharge time
- Product code: 813290 (includes soft carry case).



SRS



An entry level, fully portable EID tag reader.

Comes with built-in *Bluetooth* technology for automatic and wireless connection to EID capable indicators.

Ergonomically designed for comfortable handling with long days of use.

- NLIS tag compatible
- *Bluetooth* for wireless operation while still connected to an indicator
- Automatically transfers scanned ID's to record in indicator
- Loud beeper and 2 super bright LED's
- Water and dust proof IP67 enclosure
- Rugged and ergonomic design
- Fast charging, superior battery performance - up to 19 hours from a single charge
- Product code: 821622 (includes soft carry case).

ERS Handheld Reader



An entry level EID tag reader.

The ERS Handheld Reader is an economical way to read EID livestock tags. Easy to use and built to last with full colour display and rugged, water and dust proof IP67 case.

- Reads all ISO HDX and ISO FDX-B ear tags
- 4,000 scanned tag memory
- Reads up to 1,000 FDX tags per minute. Reads up to 830 HDX tags per minute
- Clear feedback with daylight viewable display. Membrane keypad with soft keys. Loud feedback buzzer
- *Bluetooth* Class 2 wireless module
- Includes Data Link for PC software to download recorded information
- Rugged water and dust proof IP67 enclosure
- Compact and light weight 300 g reader is comfortable and easy to use
- Up to 8 hour battery life
- Product code: 828860.

EID Panel Reader & Antenna



XRP2



Consistent tag reads every session.

Tru-Test's superior read technology ensures quick and reliable tag reads.

- Reads all HDX and FDX-B tags
- NLIS compatible
- Option to act as a stand alone tag recording device and animal counter or send tag numbers to a Tru-Test indicator
- Wirelessly connect with your indicator or smartphone using *Bluetooth®* technology for easy data transfer and to eliminate cables
- Easily download recorded information to your PC for analysis or Android® smartphone
- Plug and play setup with unique auto tuning function to ensure consistent tag reads
- Flexible antenna options to suit your setup: different sizes; dual antenna; and synchronised reader options
- Rugged design for the tough agricultural environment
- Product Code: 824994 (reader only, no antenna)
- Product Code: 825475 (reader with large antenna)
- Product Code: 825474 (reader with small antenna).



Large Antenna

- Rugged design and easy to install large antenna
- Read range single antenna up to 1 m
- Read range dual antenna up to 1.8 m
- Antenna size: 873 x 603 x 15/38 mm
- Product code: 824996 (antenna only).



Small Antenna

- Rugged design and easy to install small antenna
- Read range single antenna up to 0.7 m
- Read range dual antenna up to 1.2 m
- Antenna size: 425 x 400 x 10/33 mm
- 824997 (antenna only).

Power Cables & Adaptors

Power Adaptor & USB cable†

Use with EziWeigh5i/6i/7i indicators and WOW2™. Includes USB cable adaptor and multi-region AC adaptor.

Product code: 818348



5000 Series Power Adaptor†

Mains power adaptor for 5000 Series weigh scales. Includes multi-region plug adaptor.

Product code: 826639



XRS Charging Kit†

Use with the XRS EID reader. Includes multi-region AC adaptor and 12 V charging leads.

Product code: 819822



XRP2 Power Adaptor†

Use with the XRP2 EID panel reader. AC adaptor with Australian/NZ, European, UK and US power leads.

Product code: 825647



XRP2 12 V Power Cable†

Use with the XRP2 EID panel reader.

Product code: 825644



5000 Series 12 V Charging Kit

Use with 5000 Series weigh scale indicators. Includes 12 V adaptor to connect to vehicle or battery.

Product code: 827195



EziWeighi/ERS Car Charger Kit

Use with EziWeigh5i/6i/7i indicators and ERS EID reader.

Product code: 818349



ERS Charging Kit

Use with the ERS EID reader. Includes 5 V multi-region adaptors and USB cable.

Product code: 829488



† This accessory is included as standard with the applicable product and can be ordered as a replacement or as an additional spare.

Communication Cables & Adaptors

Indicator D9 Serial 2 M Cable†

Use to connect WOW2 to PC or other device.

Product code: 813610



XRP2 Serial Cable†

Use to connect the XRP2 EID panel reader to weigh scale indicators and other devices.

Product code: 825643



EziWeighi to XRS Cable

Use to connect EziWeigh6i/7i indicators to an XRS EID reader.

Product code: 819639



XRP2 Antenna Extension Cable†

A 5.5 m antenna extension cable for the XRP2 EID panel reader.

Product code: 825649



USB to Serial Adaptor Cable†

Connects your PC to WOW2, XRP2 EID panel or XRS EID reader.

Product code: 824429P



Cable C16 to D9 Serial

Use to connect 5000 series and EziWeigh6i/7i weigh scale indicators to a Tru-Test EID reader.

Product code: 818324



Cable USB Series A to Mini-B†

Use to connect 5000 Series indicators and ERS EID reader to PC.

Product code: 826642



Cable C16 to D9 Serial and '5 V DC' C16

Use with 5000 Series. Provides two serial connection ports and enables simultaneous battery charging.

Product code: 826638



XRS/SRS to D9 Serial Cable

Use to connect XRS/SRS EID stick reader to 3000 series weigh scale indicators.

Product code: 819821



Mounting & Carry Cases

XRS/SRS Stick Reader Holster

Keep your XRS/SRS stick reader close to hand with a holster belt attachment.

Product code: 813296



5000 Series Plastic Carry Case

Tough plastic carry case for 5000 series weigh scale indicator.

Product code: 824574P



Fixed Mounting Bracket†

Used to mount Tru-Test weigh scale indicators or XRP2 EID panel reader on a flat surface or horizontal pipe.

Product code: 816750



Adjustable Mounting Bracket

Use to mount Tru-Test weigh scale indicators or XRP2 EID panel reader on a flat surface or horizontal pipe.

Product code: 826641



† This accessory is included as standard with the applicable product and can be ordered as a replacement or as an additional spare.

Services & Support

Act on your instincts with the support of accurate information. Know that there is support when and where you need it. Work with people who know and understand farming. Get help with NLIS.

EID paves the way for the change in farming that will increase your profitability and on farm potential. Tru-Test's range of services has evolved to assist you on the journey and to make your data work for you. Because no one situation is the same, flexibility and responsiveness underpin our Services & Support. You can be confident that when you invest in Tru-Test products and services you will be investing for value.

Decision Support Tools

The information collected by Tru-Test weighing and EID systems can be uploaded into most of the key animal management software packages.

NLIS Service

Tru-Test has the software you need to efficiently and effectively upload your records to the NLIS database either from your desktop or through the available Android* and Apple iOS* application straight from your compatible mobile phone or tablet.


Training Services

Specific training is available that can improve your knowledge and understanding of weighing and EID systems and their application on farm, e.g. scanning.

Technical Support

Support is available to troubleshoot any issues with your Tru-Test hardware. Our technical specialists can even remotely log into your PC to look at your XR5000 setup, provided the indicator is connected to the PC and you have internet access.

To access our range of Services & Support, simply call 1800 248 774 and make a selection from the menu.



Data Link App for iPhone* and Android* smartphone

Send data to NLIS and others from the yard!

Tru-Test Data Link is a free application for Apple iOS* and Android* that enables you to use your smartphone to easily download data stored on your Tru-Test Wi-Fi and Bluetooth® enabled EID readers or weigh scale indicators.

Download session files from your Tru-Test device and either send direct to National Animal Identification and Tracing (NLIS) or email back to the office. Tru-Test Data Link saves you time by removing the need to take your Tru-Test device to the office to extract data.

- Register animal movements directly with NLIS with immediate feedback on your transaction
- Select a session file to email back to the office or send to another recipient
- Open a session and review individual animal records on your phone
- If you're not in 3G or Wi-Fi coverage, your transaction will happen automatically the next time you are, no need to check
- NLIS account information maintained for ease of use
- GPS location of data download attached to emails (optional)



Tru-Test Product Compatibility

Apple iOS*

- 5000 Series weigh scale indicator
- EziWeigh7i weigh scale indicator

Android*

- XRS/XRP2 EID Readers
- 5000 Series weigh scale indicator
- WOW2 weigh scale indicator
- EziWeigh7i weigh scale indicator
- Tru-Test Bluetooth adapter accessory

Download⁺

Download the **Tru-Test Data Link App** FREE from the App Store* or Google Play*.

⁺ IMPORTANT: Before downloading the Tru-Test Data Link app users will need to make sure they have email set up on their phone.

Data Link (with NLIS Compliant File Format)


Data Link is a free Windows* PC application that connects with your Tru-Test EID readers and weigh scale indicators. Data Link enables recorded information to be easily downloaded to your PC and new information to be uploaded to your weigh scale indicators or EID reader.

To meet your NLIS obligations you can download files in an NLIS compliant format, ready to be exported to the NLIS website (www.nlis.mla.com.au).

Data Link is regularly updated with new and improved features. Download the latest version free from www.tru-test.com/livestock.

Like us to visit?

We're not far away from your place.



Peter Beard

NORTHERN REGIONAL SALES MANAGER
M: 0429 610 540
E: peter.beard@trutest.com.au

1. Roby Parker

TERRITORY MANAGER
M: 0408 908 905
E: roby.parker@trutest.com.au
South Western Australia

2. Kate Kirk

TERRITORY MANAGER
M: 0427 134 022
E: kate.kirk@trutest.com.au
North Western Australia

3. James Ellis

SOUTH AUSTRALIA TERRITORY MANAGER
M: 0409 229 368
E: jamesel@trutest.com.au
South Australia

4. Scott Davis

TERRITORY MANAGER
M: 0419 783 987
E: scott.davis@trutest.com.au
Western Victoria

5. Dane Caruana

TERRITORY MANAGER
M: 0427 321 843
E: dane.caruana@trutest.com.au
Northern Queensland & Northern Territory

6. Gregg Blatchly

NORTHERN REGIONAL MANAGER
M: 0428 137 836
E: greggbl@trutest.com.au
Territory Manager

7. Andrew Sinnamon

TERRITORY MANAGER
M: 0407 668 409
E: andrew.sinnamon@trutest.com.au
Central and South East Queensland

8. Laura Quayle

TERRITORY MANAGER
M: 0427 698 833
E: laura.quayle@trutest.com.au
Northern New South Wales

9. Rochelle Satara

TERRITORY MANAGER
M: 0418 610 768
E: rochelle.satara@trutest.com.au
Central New South Wales

10. Cameron Lewis

SOUTHERN REGIONAL SALES MANAGER
M: 0418 773 811
E: cameron.lewis@trutest.com.au
Riverina New South Wales

11. Julie Walker

TERRITORY MANAGER
M: 0407 646 034
E: julie.walker@trutest.com.au
North East Victoria

12. Andy Bohn

TERRITORY MANAGER
M: 0409 229 328
E: andrewbo@trutest.com.au
Gippsland, Victoria

13. Kellie Youl

TERRITORY MANAGER
M: 0418 285 662
E: kelliyoul@trutest.com.au
Tasmania

14. Jacque Wright

TERRITORY MANAGER
M: 0427 031 331
E: jacque.wright@trutest.com.au
Southern New South Wales

Services & Support

T: 1800 248 774 E: agdata@trutest.com.au
Customer Service: 1800 641 324



Like us on Facebook

www.facebook.com/trutestgroupau

**Got any questions?
Let's talk.
1800 641 324**

New Zealand Tru-Test Group (Head Office), 25 Carbine Rd, Mt Wellington, Auckland.

Other brands manufactured by



Electric Fence



PATRIOT

Fence Tools



For more information on Tru-Test Group and our quality brands and products visit www.tru-testgroup.com

Although the information presented in this Product Catalogue is believed to be accurate and reliable, no responsibility for inaccuracies can be assumed by Tru-Test Limited. Performance data is typical only and variations due to component manufacturing tolerances are normal. Tru-Test Limited reserves the right at any time to change performance characteristics or specifications without prior notice. All trade marks with an * are not owned by Tru-Test and belong to their respective owners. © Tru-Test Limited 2015 - All rights reserved.

The Bluetooth® word mark and logos are owned by Bluetooth SIG, Inc. and any use of such marks by Tru-Test Limited is under licence.