# FOFIA

Stick Reader

Operation Manual

① Product Introduction

Comfortable hand feeling ;

Clear OLED display;

Three–button easy operation;

Long reading distance;

Perfect operation interface;

Easy&Convenient secondary;

LCD and Button

Holistic View

1 Unscrew the back cover

2 Open the battery cover

close

open

3 Load the battery

anode

cathode

	AA size		AA size	
−		+	−	+
+	AA size	−	+	AA size	−

★ equipment failure due to inappropriate battery loading is beyond free warranty.

```
┌─────────────────────────────────────────┐
│ ①        ②                    ③          │
│                                          │
│ ▛▟▜  ▒    ✳           18-08-13  15:06:08 │
│        Press <SCAN> to start!            │
│ No tag!                        TTF,888   │
│                                          │
│          ⑥                     ⑤    ④    │
└─────────────────────────────────────────┘
```

① Battery power

② Bluetooth signal

③ Time&date

④ Records

⑤ Current scanning mode

⑥ Current operation information

1 Press SCAN and enter the scanning status.

```
[▮▮▮]         ✳              18-08-13    15:06:08

· · · · · · · · · · ·

scanning···                              TTF,888
```

2 If there's no tag detected within 1min, it enters the following interface, press SCAN to enter scanning status again.

```
[▮▮▮]         ✳              18-08-13    15:06:08

         Press <SCAN> to start

No tag!                                   TTF,888
```

3 Tag number will be displayed if it is detected, press SCAN to scan the next tag.

```
[▮▮▮]         ✳              18-08-13    15:06:08

         ( 999 ) 000000000001

            ISO11784  FDX–B
```

1 Press ⬅ to enter the menu setting interface.

| 🔋 | ✳ | 18-08-13 | 15:06:08 |

★ 1.RECORD
  2.OPTIONS

2 Press ⬅ choose the option(mark "★"), press ➡ to enter. Press SCAN to return to the previous menu.

*3* Shortcuts of language switching: in the following interface, long pressing ➡ and in the meantime pressing ⬅ to switch the language

| 🔋 | ✳ | 18-08-13 | 15:06:08 |

Press <SCAN> to start

No tag!   TTF,888

1 Record list: enter the record menu, press ⬅ & ➡ to check the records.

2 Settings:

(1)Language: operation language choice

(2)Task

(3)record option: there're "YES"& "NO"two modes. Under "NO" mode, the same tag number will be recorded only once if it is multi-read.Under "YES" mode, the same tag number will be recorded many times if it is multi-read. "NO" is the default mode.

(4)Time: set the time and date.

(5)Buzzer: the default mode is "open".

(6)Indicator light: you can set whether the light is on when reading a tag

(7)USB keyboard simulation: when it is under "open" mode and connected to the computer through USB, the device has the keyboard simulation function.

(8) Power management: shut down delay setting, the range is "1–20" minutes.

(9)Clear all the records: clear all the records in the device.

(10)Firmware upgrade: device software upgrade. If needed, please operate under manufacturer' s guidance.

3 Device info: the device number (bluetooth number) and version number is for maintenance use by the manufacturer.

4 Power off: shut down the device.

USB
UNIVERSAL SERIAL BUS

Bluetooth™

Bluetooth connection password:1234

For customer service and technical support see: www.fofia.com.au